



External Doors Online

Tel : 01484 613104 Email : sales@externaldoorsonline.co.uk



Flat Rooflight

Contemporary High
Quality Light Solution



**Increase the
flow of natural
light through
your home**



- High class polished edge finish
- U-Value 1.2 w/m² – Double Glazed
- U-Value 0.7 w/m² – Triple Glazed
- Available in both standard and bespoke sizes
- Manufactured with a decorative border as standard
- Available in clear or blue tinted glass
- Toughened Safety Glass as standard

PRODUCT INFORMATION

The all glass Rooflights help increase the flow of natural light into indoor spaces, whilst being low-maintenance with excellent thermal insulation and light transmission

The glass that we use in our rooflights is an energy efficient glass which is designed to prevent heat escaping out through your rooflight to the cold outdoors.

Our all glass rooflights have a decorative black border as standard (other RAL colours available on request).





GLASS SPECIFICATION

Our Double Glazed glass have a centre pane U-value of 1.2 and our Triple Glazed glass have a U-value of 0.7 which is 30% better than rooflights with standard double glazing and enhanced sound reduction. All units are Argon gas filled and have Thermal Super Spacer technology as standard. The outer panel can be supplied in either clear, solar or privacy glass to suit your needs.

Manufactured Standards

BS EN-12150

BS EN-1279



1. HIGH QUALITY FINISH

All of our all glass rooflights are manufactured with a high class polished edge finish as standard.

2. 6MM DOUBLE/TRIPLE GLAZED THERMAL TOUGHENED SAFETY GLASS

1.2 w/m² U-Value 6mm Double Glazed, 0.7 w/m² U-Value Triple Glazed Toughened Safety Glass.

3. DECORATIVE BORDER

A Black (RAL 9005) decorative border comes as standard on all our rooflights (other RAL colours on request).

4. RANGE OF GLASS CHOICES

The rooflights are available with a choice of clear or blue tinted glass.

